

A manufacturer developing, producing and selling electrical measuring equipments



Font Size

Small

Medium

Large

Sea

## PRODUCTS

[HOME](#) > [PRODUCTS](#) > [Insulation Testers](#) > KEW 3125A

### High Voltage Insulation Testers

# KEW 3125A **NEW**



- Insulation Resistance up to  $1T\Omega$
- Short-Circuit Current up to 1.5mA
- Wide Test Voltage from 250V to 5000V
- Diagnosis Function of PI and DAR
- Newly-designed alligator clip
- It comes with a tough hard case
- Filter function reduces noise interference for obtaining stable measurement
- Large display with Bar Graph indication and backlight
- Live voltage warning
- Safety standard IEC 61010-1 CAT IV 300V / CAT III 600V



#### Insulation resistance

Rated voltage	250V	500V	1000V	2500V	5000V
Accuracy	0.0 - 100.0M $\Omega$	0.0 - 99.9M $\Omega$ 80 - 1000M $\Omega$	0.0 - 99.9M $\Omega$ 80 - 999M $\Omega$ 0.80 - 2.00G $\Omega$	0.0 - 99.9M $\Omega$ 80 - 999M $\Omega$ 0.80 - 9.99G $\Omega$	0.0 - 99.9M $\Omega$ 80 - 999M $\Omega$ 8.0 - 99.9G $\Omega$ 80 - 1000G $\Omega$

				8.0 - 100.0GΩ	
	±5%rdg±3dgt	±5%rdg±3dgt	±5%rdg±3dgt	±5%rdg±3dgt	±5%rdg±3dgt ±20%rdg (100GΩ or more)
Short circuit current	1.5mA				
Output voltage	Accuracy	±10%	-10 - +20%	0 - +20%	
	Monitor	±10%rdg±20V			


## Voltage measurement

Measuring range	AC: 30 - 600V (50/60Hz), DC: ±30 - ±600V
Accuracy	±2%rdg±3dgt

## General

Applicable standards	IEC 61010-1, 61010-2-030 CAT IV 300V / CAT III 600V Pollution degree 2, IEC 61010-031, IEC 61326-1, 2-2
Power source	DC12V : LR14/R14 × 8pcs
Dimensions	177 (L) × 226 (W) × 100 (D) mm 300 (L) × 315 (W) × 125 (D) mm (Hard case)
Weight	3125A: 1.9kg approx. (including batteries) 4kg approx. (including accessories)
Included Accessories	7165A (Line probe: 3m), 7264 (Earth cord: 3m), 7265 (Guard cord: 3m), 8019 (Hook type prod), 9180 (3025A Hard case), 9181 (3125A Hard case), LR14 (Alkaline battery size C) × 8, Instruction manual
Optional Accessories	7168A (Line probe with alligator clip: 3m), 7253 (Longer line probe with alligator clip: 15m), 8302 (Adaptor for recorder)

## Accessories/Optional Accessories /Related Products





▶ MODEL 7168A

▶ MODEL 7253

▶ MODEL 8302

[Product Catalogue](#)

[Instruction Manual](#)

[Selection Guide](#)

## Product Catalogue

[KEW3025A/3125A Product Catalogue \(1.97 MB\)](#)

[✉ Contact](#)



[HOME](#) | [Sitemap](#) | [Contact Us](#) | [Privacy Policy](#) | [Terms of Use](#)

### PRODUCTS

[Multimeters](#)

[Insulation Testers](#)

[Clamp Meters](#)

[Earth Testers](#)

### CUSTOMER SUPPORT

[Applications](#)

[General & Technical FAQ](#)

### DOWNLOAD

[Software](#)

[Product Catalogue](#)



[Loggers/PQA](#)

[RCD/LOOP/PAT Testers](#)

[Voltage Testers](#)

[Clamp Sensors](#)

[Multi Function Testers](#)

[Phase indicators](#)

[Others](#)

[Accessories](#)

[Measuring Tip &  
Glossary](#)

[Application Notes](#)

[General Catalog request](#)

[Contact Us](#)

[Discontinued products](#)

[Instructor](#)

Copyright(c) 2016 KYORITSU ELECTRICAL INSTRUMENTS WORKS, LTD.

**KYORITSU ELEC**

